

DOCKET SECTION

PRESIDING OFFICER'S
RULING NO. R97-1/75

UNITED STATES OF AMERICA
POSTAL RATE COMMISSION
WASHINGTON, D.C. 20268

2
4
12
16
RECEIVED
FEB 1 1998
U.S. POSTAL SERVICE

Postal Rate and Fee Changes

Docket No. R97-1

PRESIDING OFFICER'S RULING RESCHEDULING APPEARANCE OF POSTAL SERVICE WITNESS


(December 3, 1997)

Presiding Officer's Ruling R97-1/71 scheduled Postal Service witnesses to respond to questions concerning the operation of the MODS system, and two inspection service reports concerning the accuracy of MODS data. The Postal Service has indicated that it will not be possible for the witness expert in the operation of the MODS system to appear as scheduled on December 10, 1997. Tr. 14/7359. That witness will appear instead, on December 11, 1997, at 2:00 p.m.

The Postal Service has suggested that it may be possible for witness Degen, who is scheduled to respond to questions concerning the inspection service reports dealing with the accuracy of the MODS data, to provide satisfactory responses to questions concerning the operation of the MODS system. Attached to this ruling are questions that the Commission intends to pose to the witnesses responding to questions concerning the MODS system and the data collected by MODS. If witness Degen is able to respond to questions of this nature, including reasonably foreseeable follow-up questions on these and related topics, the Postal Service may request that the hearing scheduled for December 11, 1997 be canceled.

RULING

The Postal Service witness scheduled to appear on December 10, 1997, to respond to questions concerning the operation of the MODS system, is rescheduled to appear on December 11, 1997, at 2:00 p.m.


Edward J. Gleiman
Presiding Officer

QUESTIONS CONCERNING MODS DATA

The Postal Service filed Library Reference H-307, a CD-ROM of First Handled Piece (FHP) provided by the Postal Service in response to oral request of Commissioner LeBlanc (TR. 11/5595-96) on November 17, 1997. According to the introductory material filed with the CD-ROM, the data sets provide First Handled Piece measures for the variables IDNUM, FYAP FOCR, FBCS, FLSM, FMANL FMANF, FFSP, FMANP FMECALLP, FSPBALP FMANPRIO, FSPBRIOS, and FCANP. The "F" prefix indicates that a variable measures (FHP) rather than Total Pieces Handled (TPH). Otherwise, the variable definitions are identical to those presented in Library Reference H-148 at page H148-5.

Since the data are related to the MODS system, please have one or more witnesses prepared to address questions regarding these data. In particular witness Degen, when he appears for cross-examination on December 10, 1997, or the witness familiar with MODS operations currently scheduled to appear on December 11, 1997, should be prepared to address the following issues:

- The sources of the data for FHP and how it differs from the sources of the data for TPH.
- The relationship between FHP and TPH. Please be prepared to explain the different counts for these categories exhibited in the data in Library References H-148 and H-307. For example, how is it that the number of First Handled Pieces is less than Total Pieces Handled for the OCR activity for most facilities and accounting periods, and for some of the facilities and accounting periods for the other cost pools.

- The behavior of the ratio TPH/FHP.¹ What causes the ratio to vary substantially between facilities and over time for many facilities? To what extent might these variations be due to data errors, differences in operating procedures over time and among facilities, mail flows, equipment or some other factor?

¹ Appended to this attachment are seven tables, each reflecting results for a MODS cost pool. The tables were prepared from data reported in Library References H-148 and H-307. These tables provide information on TPH/FHP ratios for all offices with data for at least 75 accounting periods that had no reported "zero" entries for FHP. Questions will refer to these tables.

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR BCS OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
7942	77	1.03	0.24	0.62	1.57
5656	77	1.19	0.20	0.88	1.56
8334	78	1.21	0.21	0.87	1.81
1225	78	1.25	0.31	0.43	2.15
7010	77	1.32	0.22	1.01	1.98
4284	78	1.32	0.18	0.97	1.55
4166	77	1.34	0.23	0.80	1.94
9221	75	1.35	0.13	1.10	1.65
6737	78	1.37	0.28	1.00	3.32
5757	78	1.39	0.34	1.01	3.89
7794	78	1.40	0.11	1.20	1.75
7865	76	1.42	0.27	0.94	2.16
8554	77	1.45	0.27	1.07	2.26
4347	77	1.46	0.22	0.79	1.86
6556	78	1.47	0.30	0.20	2.07
7637	77	1.48	0.36	1.11	2.46
9865	77	1.49	0.22	1.09	2.18
3329	78	1.50	0.16	0.56	1.71
8208	78	1.51	0.21	0.89	2.47
8722	77	1.51	0.30	0.87	3.08
5683	78	1.54	0.42	0.79	2.36
2814	77	1.56	0.32	0.90	1.95
3084	77	1.56	0.27	1.00	1.98
3923	78	1.58	0.12	1.25	1.97
9098	77	1.59	0.17	1.26	2.20
7603	77	1.60	0.13	1.40	1.86
8551	78	1.61	0.36	0.87	2.08
2501	77	1.61	0.24	1.26	2.25
2283	77	1.62	0.28	1.37	3.93
1484	77	1.62	0.26	1.29	2.42
7914	77	1.65	0.29	1.08	2.70
8329	77	1.69	0.31	1.30	2.48
3940	77	1.70	0.16	1.20	2.07
6994	77	1.70	0.23	1.37	2.17
6971	78	1.72	0.37	1.05	2.22
686	117	1.74	0.27	1.24	2.34
3364	117	1.75	0.21	1.26	2.40
8668	76	1.76	0.32	1.16	2.76
6761	78	1.76	0.18	0.86	2.35
3361	77	1.77	0.41	1.47	3.03
7583	77	1.78	0.21	1.31	2.24
5438	78	1.78	0.12	1.45	2.04
8315	77	1.79	0.28	1.32	2.48
5255	77	1.83	0.22	1.35	2.29
6543	78	1.84	0.56	1.24	3.40
8592	78	1.84	0.21	1.20	2.27
5279	77	1.85	0.58	1.33	3.88

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR BCS OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
7480	77	1.86	0.72	1.00	4.91
7791	117	1.86	0.25	1.07	2.57
104	78	1.92	0.22	1.51	2.51
9807	117	1.93	0.62	1.20	3.23
6088	77	1.94	0.20	1.59	2.50
3921	78	1.96	2.28	0.90	21.72
7314	78	1.97	0.20	1.64	2.57
7689	78	1.98	0.20	1.64	2.60
7100	78	1.98	0.25	1.52	2.80
9961	77	1.99	0.22	1.73	2.71
6792	78	1.99	0.44	1.54	3.98
862	78	1.99	0.24	0.32	2.64
9522	77	1.99	0.54	1.45	3.88
8579	77	1.99	0.43	1.61	3.30
7422	117	2.00	0.37	0.66	3.28
6745	117	2.00	0.51	1.12	4.81
1749	117	2.01	0.40	1.46	3.23
9270	77	2.02	0.31	1.68	3.32
2467	77	2.02	0.46	1.67	4.23
6499	78	2.03	0.26	1.72	2.94
6282	77	2.03	0.43	1.57	3.20
5604	76	2.05	0.20	1.47	2.56
8115	78	2.05	0.33	1.50	2.82
7564	76	2.06	0.75	1.44	4.94
5066	78	2.06	0.49	1.36	3.52
9696	78	2.06	0.46	1.45	3.27
26	77	2.07	0.16	1.62	2.50
9917	75	2.07	0.29	1.64	3.39
3437	77	2.07	0.32	1.37	2.86
6098	77	2.07	0.51	0.62	2.87
1364	78	2.08	0.19	1.80	2.56
614	76	2.09	0.46	1.59	3.80
7069	77	2.11	0.34	1.60	3.06
6343	77	2.11	0.25	1.51	2.93
1872	117	2.12	0.80	1.32	5.42
401	80	2.13	1.07	1.50	10.49
2173	117	2.14	0.65	1.36	3.49
6557	77	2.15	0.40	1.64	3.53
8941	77	2.16	0.43	1.75	3.50
2594	76	2.16	0.21	1.90	2.91
3821	78	2.16	0.39	1.46	3.21
3033	78	2.17	0.49	1.57	3.92
9056	77	2.17	0.39	1.70	3.12
6838	117	2.18	0.69	1.44	3.93
5997	117	2.18	0.99	1.44	9.84
3972	77	2.19	0.33	1.66	3.08
120	117	2.22	0.53	1.57	3.46

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR BCS OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
6306	77	2.24	0.33	1.66	2.97
9810	77	2.24	0.54	1.66	3.95
3394	117	2.24	0.40	1.46	3.08
6104	117	2.25	0.78	1.37	5.34
779	117	2.27	0.60	1.42	4.23
341	78	2.27	0.37	1.71	3.26
9240	117	2.29	0.66	1.31	8.14
4255	76	2.31	0.42	1.48	3.64
9210	117	2.31	0.28	1.57	2.91
2587	117	2.32	0.69	1.48	4.28
4439	117	2.32	0.49	1.51	3.33
5296	117	2.32	0.43	1.37	3.54
621	117	2.33	0.52	1.47	5.32
8743	117	2.33	0.32	1.39	3.02
6078	78	2.33	0.29	1.93	3.94
5566	77	2.34	0.78	1.71	4.71
9322	77	2.34	0.58	1.59	3.66
8806	117	2.35	0.95	1.67	9.93
7463	89	2.36	0.70	1.11	3.96
6266	117	2.37	0.56	1.52	3.83
7044	77	2.37	1.16	1.61	7.27
1747	78	2.38	0.85	1.06	4.86
1607	77	2.38	3.76	1.46	33.87
6594	117	2.38	0.59	1.75	3.87
3411	117	2.40	0.50	1.49	3.55
164	83	2.40	0.60	1.57	4.15
3709	77	2.40	0.94	1.65	6.64
5921	117	2.41	1.41	0.79	6.92
877	117	2.41	0.88	1.25	4.29
6676	78	2.42	1.03	1.53	5.76
2371	117	2.45	0.82	1.39	4.28
8421	117	2.45	0.40	1.47	3.82
4818	77	2.47	0.60	1.58	3.98
5341	76	2.48	0.59	1.72	3.70
8909	117	2.49	0.77	0.54	4.27
3606	117	2.51	0.97	1.20	6.09
1309	78	2.51	0.28	1.91	3.49
7655	117	2.53	0.55	1.67	3.87
4537	78	2.54	0.65	2.06	5.20
1684	117	2.54	0.44	1.36	3.90
8265	117	2.54	1.04	1.21	4.92
9114	117	2.54	0.39	1.66	3.64
1803	117	2.55	0.27	2.01	3.23
7346	117	2.56	0.93	1.28	6.38
5865	117	2.58	0.48	1.33	3.86
8965	77	2.58	0.65	1.89	4.28
9112	77	2.59	0.35	1.89	3.26

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR BCS OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
3753	117	2.59	0.65	1.59	5.02
2444	117	2.59	0.72	1.03	4.19
4970	117	2.59	0.85	1.71	4.78
7450	117	2.60	1.01	0.30	5.00
3359	78	2.60	0.91	1.81	5.46
5096	117	2.63	1.14	1.32	11.98
2823	117	2.64	0.64	1.78	4.12
7126	77	2.64	0.17	2.27	3.15
3304	117	2.65	0.76	1.42	5.44
7073	117	2.65	0.59	1.81	4.46
5284	117	2.66	0.54	1.31	4.05
8342	117	2.67	0.81	1.60	4.84
2033	103	2.67	1.18	1.00	5.46
9779	117	2.68	1.66	1.59	19.16
5590	117	2.68	0.56	1.67	4.01
1913	117	2.71	0.66	0.55	4.45
9589	117	2.72	0.98	1.03	4.67
5413	77	2.72	0.55	1.60	4.17
6989	117	2.72	1.15	1.50	5.30
916	117	2.77	1.54	1.53	15.14
8195	117	2.77	0.43	1.67	3.63
2687	117	2.78	0.78	1.60	4.46
4945	117	2.85	0.42	2.19	3.90
952	117	2.87	0.88	1.41	4.60
3725	117	2.87	0.50	1.64	4.00
4542	117	2.88	0.56	1.94	4.60
5697	117	2.89	0.95	1.62	5.07
8333	117	2.90	0.68	0.54	5.50
2169	117	2.91	0.55	1.53	4.13
5909	117	2.96	0.59	2.01	4.64
4270	117	2.97	0.58	2.06	4.36
8112	77	2.99	0.39	2.08	4.01
1423	78	3.00	0.53	2.22	4.98
5057	117	3.00	0.64	1.70	5.15
7418	117	3.01	1.23	1.44	8.01
5204	117	3.06	0.74	1.92	4.84
6755	117	3.08	1.25	1.16	6.69
3358	117	3.10	1.24	1.69	8.65
8239	117	3.11	1.19	1.86	8.57
1245	117	3.20	0.32	2.42	3.87
9486	117	3.27	1.49	1.82	12.70
3702	117	3.36	1.18	1.45	5.93
8169	77	3.68	14.06	1.18	123.21
5837	117	3.70	2.09	2.08	10.43
9524	117	4.45	12.83	1.71	136.02
9698	78	5.50	3.50	1.54	13.75
3908	117	37.85	372.30	1.42	4,030.45

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR OCR OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
6282	77	0.64	0.09	0.42	0.95
5066	78	0.65	0.12	0.41	0.96
6088	77	0.65	0.21	0.36	1.71
4818	77	0.66	0.08	0.42	0.94
8965	77	0.67	0.07	0.51	0.81
3361	77	0.68	0.10	0.40	0.86
6676	78	0.68	0.16	0.36	1.08
3437	77	0.68	0.07	0.48	0.94
9056	77	0.69	0.08	0.47	0.88
2594	76	0.69	0.10	0.45	0.86
9112	77	0.69	0.16	0.42	1.07
7564	76	0.69	0.09	0.45	0.90
3359	78	0.70	0.12	0.48	1.30
4255	76	0.70	0.08	0.53	0.98
6543	78	0.71	0.08	0.50	0.85
8941	77	0.71	0.11	0.47	1.09
1423	78	0.71	0.08	0.51	0.86
5413	77	0.72	0.09	0.52	0.90
7126	77	0.72	0.08	0.48	0.84
1309	78	0.72	0.07	0.52	0.84
2467	77	0.73	0.11	0.46	0.91
401	80	0.73	0.11	0.39	0.93
164	83	0.73	0.11	0.43	1.01
341	78	0.73	0.13	0.38	1.05
9810	77	0.74	0.38	0.48	3.85
9322	77	0.75	0.15	0.46	1.06
9522	77	0.75	0.08	0.51	0.95
9961	77	0.75	0.11	0.48	0.94
8115	78	0.76	0.08	0.48	0.92
6556	78	0.76	0.28	0.35	1.18
7637	77	0.77	0.17	0.42	1.00
9270	77	0.78	0.08	0.59	0.95
3821	78	0.79	0.10	0.49	1.06
7100	78	0.80	0.16	0.51	1.08
7314	78	0.80	0.17	0.49	1.17
4537	78	0.80	0.10	0.58	1.00
104	78	0.81	0.13	0.45	1.06
7689	78	0.81	0.15	0.53	1.15
862	78	0.82	0.14	0.25	1.16
3033	78	0.82	0.33	0.45	3.28
1364	78	0.83	0.13	0.49	1.11
1747	78	0.83	0.25	0.43	1.86
5341	76	0.83	0.19	0.51	1.15
3709	77	0.84	0.14	0.55	1.07
7069	77	0.84	0.11	0.46	1.04
6078	78	0.84	0.09	0.58	1.03
8579	77	0.84	0.14	0.54	1.18

STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR OCR OPERATIONS

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		614	76	0.88	0.22	0.49	1.28
		5255	77	0.91	0.17	0.63	1.39
		7010	77	0.95	0.29	0.43	1.67
		9696	78	0.95	0.30	0.49	1.69

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL LETTER OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
6792	78	1.12	0.16	1.00	1.68
9879	117	1.19	0.07	1.09	1.45
7897	117	1.20	0.13	1.00	1.45
7051	77	1.22	0.16	1.04	1.58
3931	78	1.26	0.16	1.04	2.47
6499	78	1.30	0.23	1.21	2.68
8228	78	1.34	0.49	0.99	3.27
503	117	1.35	0.07	1.20	1.62
8195	117	1.35	0.07	1.20	1.56
9567	78	1.39	0.24	0.55	2.73
3921	78	1.39	0.72	0.96	7.13
2390	76	1.41	0.49	1.00	4.42
8333	117	1.43	0.15	1.22	1.90
5279	77	1.43	0.23	1.00	1.71
6838	117	1.47	0.10	1.26	1.82
1423	78	1.47	0.11	1.21	1.65
8592	78	1.48	0.29	1.17	3.21
862	78	1.48	0.14	1.02	2.20
2752	78	1.49	0.87	1.07	7.42
8722	77	1.50	0.25	0.83	2.05
9090	75	1.50	0.26	1.00	2.17
4970	117	1.51	0.18	1.20	2.21
3246	78	1.51	2.53	1.11	23.54
6989	117	1.52	0.22	0.97	1.77
8806	117	1.52	0.30	1.08	2.41
3606	117	1.53	0.12	1.39	2.14
7422	117	1.53	0.19	1.04	1.82
9110	117	1.54	0.13	1.33	1.90
3725	117	1.54	0.09	1.41	1.87
7689	78	1.55	0.15	1.00	1.81
8535	117	1.55	0.07	1.42	1.76
6745	117	1.55	0.15	1.20	1.82
2283	77	1.56	0.23	1.35	2.26
7583	77	1.56	0.26	0.92	2.09
4937	89	1.57	0.19	1.00	1.99
8315	77	1.58	0.37	1.00	1.99
6078	78	1.58	0.33	0.79	3.10
7444	117	1.58	0.21	1.03	2.24
3702	117	1.59	0.20	1.31	2.02
3753	117	1.61	0.21	1.21	2.27
6744	117	1.61	0.16	1.04	2.23
9240	117	1.61	0.14	1.34	2.05
4873	77	1.61	0.11	1.00	1.85
9666	75	1.63	0.24	1.28	2.21
3411	117	1.64	0.15	1.34	1.95
7800	117	1.65	0.21	1.33	2.19
9696	78	1.66	0.31	0.63	3.01

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL LETTER OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
5284	117	1.66	0.36	1.29	2.81
9653	76	1.67	0.40	1.19	2.63
5921	117	1.67	0.15	1.13	2.22
7073	117	1.68	0.15	1.28	2.15
2371	117	1.68	0.19	1.32	2.54
1749	117	1.68	0.15	1.22	2.13
7914	77	1.68	0.15	1.40	2.15
5757	78	1.68	0.61	1.30	6.44
9221	75	1.68	0.11	1.00	1.86
6266	117	1.70	0.12	1.47	2.15
9779	117	1.70	0.20	1.24	2.07
26	77	1.70	0.20	1.31	2.96
877	117	1.70	0.19	1.48	2.25
5096	117	1.73	0.20	1.27	2.11
6643	117	1.73	0.20	1.21	2.12
4278	78	1.75	0.52	1.00	3.90
2823	117	1.75	0.19	1.35	2.26
2444	117	1.76	0.20	1.18	2.24
3394	117	1.76	0.34	1.25	2.59
5837	117	1.77	0.31	0.90	2.50
7271	117	1.79	0.18	1.12	2.44
8342	117	1.79	0.15	1.49	2.27
4439	117	1.79	0.14	1.60	2.59
2173	117	1.81	0.13	1.60	2.32
6104	117	1.81	0.30	1.36	2.49
916	117	1.83	0.37	1.18	2.60
1607	77	1.83	0.19	1.24	2.24
1245	117	1.84	0.22	1.46	2.63
5182	117	1.84	0.18	1.56	2.55
7791	117	1.85	0.12	1.65	2.17
5413	77	1.85	0.26	1.50	3.59
9486	117	1.85	0.21	1.48	2.48
5708	117	1.86	0.22	1.49	2.71
7314	78	1.86	0.23	1.51	2.71
6549	117	1.86	0.30	1.47	2.65
8265	117	1.87	0.16	1.47	2.42
2033	103	1.87	0.21	1.00	2.32
8938	117	1.87	0.41	1.25	3.32
6594	117	1.87	0.48	0.99	3.17
120	117	1.88	0.16	1.64	2.38
7450	117	1.89	0.37	1.42	5.14
1913	117	1.89	0.22	1.31	2.46
6098	77	1.89	0.40	1.00	2.54
621	117	1.90	0.37	1.46	3.13
5997	117	1.90	0.18	1.44	2.33
7655	117	1.90	0.24	1.38	2.79
5204	117	1.91	0.21	1.52	2.59

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL LETTER OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
952	117	1.91	0.31	1.44	2.71
6571	117	1.92	0.25	1.19	2.99
7418	117	1.94	0.46	0.94	3.11
5087	117	1.94	0.30	1.50	2.89
242	117	1.95	0.51	0.94	3.03
4453	117	1.96	0.27	1.42	2.67
5590	117	1.97	0.27	0.97	2.84
4270	117	1.97	0.18	1.43	2.45
6664	117	1.98	0.20	1.54	2.69
4542	117	1.98	0.20	1.41	2.51
5865	117	1.99	0.28	1.37	2.86
9210	117	1.99	0.44	1.19	3.09
8909	117	1.99	0.23	1.45	2.91
164	83	2.01	0.34	1.00	2.74
3358	117	2.01	0.56	1.03	3.59
1803	117	2.01	0.25	1.52	2.72
779	117	2.03	0.24	1.51	2.86
401	80	2.05	0.67	0.54	3.55
1684	117	2.05	0.37	0.95	2.82
686	117	2.06	0.22	1.60	2.64
5697	117	2.07	0.42	1.58	3.22
3346	117	2.07	1.72	1.48	20.27
6755	117	2.07	0.29	1.35	2.75
5057	117	2.09	0.34	1.39	2.82
1374	117	2.10	0.45	1.41	3.90
8289	117	2.13	0.30	1.65	3.46
8743	117	2.15	0.30	1.50	3.13
8964	117	2.16	0.40	1.48	3.23
2169	117	2.17	0.43	1.66	3.83
4756	117	2.19	0.28	1.68	3.15
5296	117	2.19	0.29	1.53	2.92
3908	117	2.21	0.32	1.72	3.03
7346	117	2.21	0.50	1.35	3.65
9303	117	2.22	0.28	1.61	2.75
8239	117	2.22	0.38	1.65	3.77
4945	117	2.22	0.60	1.56	5.68
7606	117	2.24	0.46	1.38	3.79
1872	117	2.25	0.24	1.52	2.93
3304	117	2.25	0.42	1.65	5.77
3364	117	2.32	0.35	1.69	3.04
9114	117	2.34	0.42	1.58	3.99
415	117	2.34	0.42	1.61	3.94
2587	117	2.39	0.59	1.50	4.16
2687	117	2.44	0.52	1.48	3.32
5909	117	2.50	0.66	1.63	4.36
9524	117	2.57	0.52	1.46	4.04
8421	117	2.70	0.78	1.62	4.97

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL LETTER OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		9807	117	2.75	0.50	1.77	4.07
		9589	117	2.88	0.92	1.61	5.51
		7463	89	3.67	1.01	1.21	8.99
		1485	117	3.89	1.41	1.58	6.19

STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL FLAT OPERATIONS

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
5284	117	0.97	0.30	0.34	1.40
8228	78	1.04	0.04	1.00	1.11
3931	78	1.06	0.13	1.02	2.01
9879	117	1.08	0.06	1.02	1.23
7897	117	1.09	0.11	1.00	1.38
5279	77	1.11	0.06	1.00	1.24
8909	117	1.12	0.06	1.03	1.31
8333	117	1.12	0.07	1.04	1.36
862	78	1.15	0.05	1.00	1.25
3921	78	1.15	0.17	0.95	1.98
4278	78	1.17	0.42	1.00	4.34
6098	77	1.18	0.12	1.00	1.40
8195	117	1.18	0.08	1.00	1.31
9567	78	1.18	0.18	1.04	2.31
3725	117	1.21	0.05	1.15	1.60
7422	117	1.21	0.05	1.11	1.33
503	117	1.22	0.08	1.15	2.04
9240	117	1.23	0.11	1.01	1.43
7800	117	1.23	0.06	1.13	1.40
3364	117	1.25	0.06	1.08	1.39
5997	117	1.25	0.10	1.11	1.47
5057	117	1.26	0.07	1.14	1.44
4937	89	1.26	0.06	1.00	1.36
5590	117	1.27	0.09	1.13	1.56
2169	117	1.28	0.11	1.04	1.58
1374	117	1.28	0.09	1.03	1.56
916	117	1.28	0.15	1.00	1.60
6078	78	1.29	0.16	0.86	1.67
6643	117	1.29	0.11	0.96	1.54
401	80	1.30	0.14	1.02	1.76
6499	78	1.30	0.20	1.19	2.58
7346	117	1.31	0.12	1.03	1.57
7655	117	1.31	0.17	1.06	1.63
6755	117	1.31	0.10	1.10	1.54
4453	117	1.31	0.12	1.10	1.59
7689	78	1.33	0.12	1.00	1.48
3411	117	1.33	0.16	1.10	1.81
9486	117	1.34	0.17	1.07	1.67
6745	117	1.34	0.11	1.12	2.05
4439	117	1.34	0.09	1.12	1.54
5296	117	1.34	0.04	1.17	1.41
6989	117	1.34	0.15	1.00	1.81
1245	117	1.34	0.12	1.10	1.63
3346	117	1.35	0.22	1.11	3.16
5921	117	1.35	0.13	1.01	1.85
3702	117	1.35	0.10	1.15	1.55
7444	117	1.35	0.10	1.17	1.57

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL FLAT OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		3304	117	1.35	0.11	1.11	2.02
		9779	117	1.36	0.08	1.14	1.60
		5837	117	1.36	0.07	1.20	1.55
		1423	78	1.36	0.08	1.23	1.53
		5096	117	1.37	0.08	1.02	1.64
		7418	117	1.37	0.14	1.17	2.44
		6549	117	1.37	0.08	1.21	1.54
		8806	117	1.37	0.20	1.05	2.30
		6104	117	1.37	0.03	1.31	1.46
		9110	117	1.38	0.09	1.23	1.67
		8592	78	1.38	0.21	1.09	2.02
		5708	117	1.38	0.05	1.25	1.49
		2823	117	1.38	0.06	1.24	1.55
		2371	117	1.39	0.07	1.16	1.56
		6744	117	1.39	0.13	0.95	1.62
		2033	103	1.39	0.09	1.00	1.56
		1749	117	1.39	0.10	1.04	1.68
		3753	117	1.39	0.09	1.09	1.68
		5865	117	1.40	0.25	1.17	2.02
		3908	117	1.40	0.08	1.23	1.61
		5087	117	1.41	0.11	1.25	1.66
		4970	117	1.41	0.11	1.17	1.60
		9524	117	1.41	0.26	0.60	1.93
		5204	117	1.41	0.11	1.26	1.72
		952	117	1.42	0.17	1.12	1.90
		1803	117	1.43	0.09	1.30	1.65
		9114	117	1.43	0.21	1.14	2.08
		9589	117	1.44	0.43	0.68	2.44
		3358	117	1.44	0.21	0.99	1.94
		779	117	1.44	0.10	1.08	1.66
		8535	117	1.45	0.09	1.17	1.72
		6838	117	1.45	0.07	1.24	1.61
		877	117	1.45	0.08	1.33	1.67
		6266	117	1.45	0.08	1.27	1.78
		8265	117	1.45	0.22	0.79	1.90
		5757	78	1.46	0.48	1.12	5.51
		8938	117	1.46	0.14	1.13	1.69
		2444	117	1.46	0.14	1.02	1.69
		9303	117	1.48	0.20	1.26	2.75
		6664	117	1.48	0.14	1.00	1.77
		7073	117	1.49	0.26	1.15	2.45
		4542	117	1.49	0.16	1.29	1.98
		2173	117	1.50	0.22	1.18	1.88
		4945	117	1.50	0.08	1.29	1.69
		1913	117	1.51	0.20	1.11	1.85
		8964	117	1.52	0.20	0.97	1.93
		2587	117	1.52	0.14	1.22	1.80

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL FLAT OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		7314	78	1.52	0.16	1.15	1.74
		5413	77	1.53	0.18	1.26	2.57
		120	117	1.53	0.07	1.43	1.67
		8743	117	1.53	0.19	1.02	1.89
		3606	117	1.54	0.18	1.25	1.90
		7450	117	1.55	0.13	1.27	1.97
		6594	117	1.56	0.33	1.01	2.33
		686	117	1.56	0.08	1.31	1.69
		6571	117	1.56	0.13	1.18	1.81
		4270	117	1.58	0.06	1.43	1.75
		8342	117	1.59	0.17	1.09	2.53
		4756	117	1.59	0.31	1.11	2.23
		7791	117	1.59	0.10	1.34	1.86
		7271	117	1.60	0.09	1.12	1.75
		415	117	1.60	0.15	1.17	1.98
		621	117	1.62	0.12	1.34	1.91
		8289	117	1.64	0.11	1.37	1.98
		1485	117	1.65	0.13	1.40	1.94
		5909	117	1.66	0.21	1.33	2.12
		1872	117	1.66	0.22	1.33	2.43
		1684	117	1.66	0.20	1.33	2.35
		9210	117	1.67	0.14	1.37	2.22
		242	117	1.69	0.26	1.03	2.17
		3394	117	1.69	0.26	1.14	2.31
		5697	117	1.73	0.10	1.47	2.00
		8239	117	1.79	0.32	1.32	2.30
		9807	117	1.87	0.33	1.40	2.66
		164	83	1.92	0.63	0.93	3.23
		2687	117	1.95	0.38	1.32	3.14
		8421	117	1.97	0.44	1.33	3.20
		5182	117	1.98	0.55	0.88	3.33

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR LSM OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
5656	77	1.03	0.12	0.11	1.36
1484	77	1.41	0.11	1.22	1.88
659	78	1.45	0.34	1.00	2.29
6306	77	1.64	0.31	1.19	2.77
7865	76	1.65	0.60	0.93	4.29
4937	89	1.87	1.02	1.11	10.80
6737	78	1.89	0.44	1.14	3.63
6635	77	2.00	0.41	1.05	3.11
1940	78	2.10	0.62	0.60	2.88
6664	117	2.17	0.67	1.31	4.87
2007	117	2.17	1.19	0.75	7.20
9270	77	2.20	0.43	1.52	3.55
5604	76	2.20	0.61	1.26	3.63
634	77	2.27	0.66	1.13	4.70
5438	78	2.31	0.70	1.49	4.19
3940	77	2.34	0.50	1.76	3.64
4347	77	2.35	1.33	1.15	8.51
6104	117	2.35	0.44	1.41	3.47
5708	117	2.40	0.68	1.32	4.40
9443	78	2.41	0.82	1.53	4.52
7800	117	2.41	0.94	1.28	6.06
3411	117	2.43	0.50	0.84	3.24
9879	117	2.44	0.49	1.83	4.58
1485	117	2.46	0.94	1.36	10.83
9110	117	2.55	0.67	1.09	5.61
3753	117	2.56	0.68	1.46	6.43
6098	77	2.58	1.33	0.88	7.69
9810	77	2.63	0.65	1.80	4.13
9112	77	2.65	1.10	1.38	8.32
3364	117	2.68	0.42	1.93	4.84
7450	117	2.73	0.79	0.50	5.94
3084	77	2.77	0.95	0.54	5.67
7069	77	2.79	0.96	1.20	6.74
7583	77	2.80	1.06	1.50	7.65
9875	77	2.84	1.23	1.55	8.31
7346	117	2.85	1.08	1.20	7.18
8265	117	2.86	1.23	1.51	8.86
4166	77	2.87	2.36	0.91	13.89
6078	78	2.87	0.85	1.50	6.37
3923	78	2.89	0.95	1.11	6.85
4255	76	2.97	1.26	1.67	7.20
6594	117	3.00	1.09	1.67	7.11
5096	117	3.00	0.81	2.02	5.76
7626	78	3.00	2.33	1.18	15.45
952	117	3.03	0.63	1.12	4.47
2444	117	3.03	0.79	2.09	8.20
9917	75	3.04	2.09	1.05	8.74

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR LSM OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
7637	77	3.04	1.07	1.25	7.17
8334	78	3.07	1.55	1.61	8.37
6499	78	3.10	1.16	1.83	6.05
5865	117	3.12	1.27	1.10	6.61
686	117	3.14	0.78	1.89	5.22
3346	117	3.15	1.00	1.64	6.91
5837	117	3.15	0.91	1.92	5.59
9210	117	3.16	0.75	1.44	4.99
2467	77	3.16	1.05	1.67	5.41
8743	117	3.19	0.77	0.68	5.32
1374	117	3.19	1.73	1.32	11.62
120	117	3.20	1.17	1.85	8.07
7314	78	3.21	1.13	1.63	7.64
5921	117	3.24	1.39	1.26	10.44
7418	117	3.27	0.79	1.48	5.60
2789	78	3.30	2.43	1.07	10.41
7010	77	3.33	1.06	1.46	6.12
8909	117	3.33	2.18	1.36	23.28
8112	77	3.38	1.13	1.54	7.22
5697	117	3.40	0.98	1.13	5.21
6643	117	3.40	1.03	2.19	8.42
4873	77	3.40	2.47	1.21	12.14
9524	117	3.42	1.04	2.12	11.26
8169	77	3.44	1.74	1.18	11.31
3709	77	3.45	1.43	1.42	9.02
2501	77	3.50	1.42	1.84	7.91
4818	77	3.51	1.45	1.89	8.01
3908	117	3.55	1.36	1.56	8.48
862	78	3.55	0.91	1.10	5.97
2594	76	3.56	1.91	1.83	10.07
9486	117	3.56	1.27	1.98	6.63
3921	78	3.59	1.39	1.68	8.69
2371	117	3.60	0.94	1.73	6.02
1309	78	3.61	2.65	1.20	12.82
2169	117	3.62	1.09	2.07	10.27
6838	117	3.62	1.39	1.75	7.89
401	80	3.65	1.77	1.45	9.70
9303	117	3.65	2.06	1.68	10.91
8535	117	3.66	1.49	1.59	8.95
5087	117	3.67	1.13	1.60	7.00
9090	75	3.67	1.93	1.60	8.80
5296	117	3.70	1.02	1.80	6.69
3821	78	3.71	3.18	0.65	13.39
5683	78	3.71	2.43	1.22	11.03
4270	117	3.74	1.43	1.79	7.46
9589	117	3.78	1.53	1.92	8.73
9779	117	3.79	1.30	1.70	8.53

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR LSM OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
8592	78	3.80	1.40	1.81	7.75
2283	77	3.81	2.16	1.40	8.88
7073	117	3.82	1.32	0.85	7.33
7271	117	3.82	1.24	2.05	7.02
8195	117	3.83	1.68	1.77	10.40
6549	117	3.87	0.72	2.43	5.63
8668	76	3.88	1.78	1.13	8.41
6745	117	3.90	2.49	1.84	17.09
7422	117	3.91	2.64	1.83	29.21
5590	117	3.92	1.55	1.80	11.27
7126	77	3.95	1.99	1.96	11.17
5066	78	3.99	1.47	2.39	8.76
3606	117	4.08	2.85	1.31	11.97
8965	77	4.11	0.72	2.44	6.25
9240	117	4.17	3.00	1.55	16.42
8964	117	4.21	1.70	1.40	11.13
8329	77	4.23	2.09	2.16	9.43
4439	117	4.23	1.36	2.46	8.68
8115	78	4.23	2.99	1.90	20.41
1803	117	4.26	1.47	2.52	13.62
1747	78	4.26	2.46	0.98	11.56
4945	117	4.28	2.31	0.54	13.28
7044	77	4.30	2.58	1.94	12.06
8342	117	4.30	1.63	1.67	10.04
8806	117	4.31	1.99	0.40	10.78
3304	117	4.32	2.01	2.53	18.00
6266	117	4.33	0.90	2.37	10.40
3359	78	4.38	3.40	1.29	15.01
9322	77	4.41	2.56	1.59	11.71
5997	117	4.45	2.09	1.11	13.93
1749	117	4.48	1.22	2.26	8.99
4756	117	4.52	1.75	1.50	11.54
1607	77	4.53	2.33	1.86	14.08
341	78	4.53	2.12	1.97	11.73
6676	78	4.54	2.18	1.96	10.72
3358	117	4.54	1.96	1.29	10.45
104	78	4.57	3.75	1.94	24.37
5909	117	4.57	1.56	1.67	10.30
6744	117	4.58	2.85	1.59	16.14
3972	77	4.58	2.18	1.96	12.99
5057	117	4.60	3.39	1.08	14.67
9221	75	4.66	2.60	1.77	11.65
1245	117	4.66	1.41	1.19	8.48
8722	77	4.73	1.85	1.24	12.19
8333	117	4.73	3.17	1.56	15.29
503	117	4.78	3.73	1.51	15.30
916	117	4.82	2.28	1.80	13.78

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR LSM OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		9698	78	4.86	6.00	1.31	28.09
		5284	117	4.88	2.08	1.69	11.66
		5204	117	4.90	2.44	1.89	13.08
		7603	77	4.95	1.68	2.32	8.34
		6792	78	5.01	4.07	1.39	15.99
		4542	117	5.08	2.32	2.64	15.32
		7689	78	5.10	3.31	1.95	19.55
		5341	76	5.15	2.57	1.69	18.45
		6557	77	5.16	3.71	1.66	17.83
		5413	77	5.30	2.47	2.27	10.60
		8315	77	5.32	3.64	1.87	12.27
		6556	78	5.32	4.31	0.64	25.61
		7051	77	5.34	8.12	1.38	57.11
		7791	117	5.35	3.31	0.71	18.03
		9114	117	5.35	2.37	1.96	10.61
		8239	117	5.69	4.22	1.72	32.90
		8289	117	5.71	4.27	2.54	22.14
		6755	117	5.72	3.23	1.55	15.36
		3394	117	5.78	3.36	2.29	15.43
		9705	78	5.80	4.88	0.98	33.85
		242	117	5.88	3.49	1.42	15.66
		6994	77	6.12	4.01	1.98	21.47
		621	117	6.43	5.64	1.97	51.86
		8579	77	6.56	4.37	2.74	17.89
		7975	78	7.23	5.46	1.10	22.94
		7444	117	7.43	8.10	2.21	58.21
		3702	117	7.59	6.13	1.74	38.53
		3361	77	7.73	8.64	2.81	62.46
		6088	77	8.53	10.68	1.81	58.00
		5757	78	8.62	3.19	3.88	18.47
		6343	77	9.03	5.01	2.07	18.43
		415	117	9.66	17.07	1.55	138.63
		9056	77	10.39	31.14	2.11	275.19
		26	77	10.86	12.96	1.92	51.38
		1364	78	14.36	15.51	2.24	73.84
		3725	117	15.03	26.80	2.63	202.22
		5255	77	15.98	16.55	3.45	82.36

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR FLAT SORTING MACHINE (FSB) OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		2594	76	0.84	0.07	0.67	0.95
		6556	78	0.90	0.15	0.11	1.15
		8941	77	0.90	0.05	0.78	1.01
		6343	77	0.91	0.07	0.72	1.06
		6664	117	0.93	0.05	0.78	1.01
		7100	78	0.93	0.10	0.47	1.11
		8551	78	0.94	0.08	0.72	1.13
		7637	77	0.94	0.03	0.87	1.02
		8592	78	0.94	0.08	0.73	1.48
		5255	77	0.94	0.11	0.73	1.10
		7897	117	0.94	0.09	0.48	1.14
		8579	77	0.94	0.06	0.83	1.14
		621	117	0.94	0.09	0.62	1.22
		4255	76	0.95	0.06	0.78	1.25
		164	83	0.95	0.13	0.67	1.41
		9917	75	0.95	0.11	0.41	1.08
		9522	77	0.95	0.04	0.87	1.09
		8329	77	0.97	0.08	0.83	1.12
		6994	77	0.97	0.05	0.83	1.12
		6499	78	0.97	0.13	0.86	2.04
		7791	117	0.97	0.09	0.83	1.30
		9879	117	0.97	0.11	0.82	1.30
		3921	78	0.98	0.10	0.21	1.14
		5413	77	0.98	0.06	0.82	1.16
		104	78	0.99	0.05	0.86	1.09
		7606	117	0.99	0.16	0.47	1.26
		8806	117	0.99	0.06	0.87	1.25
		7314	78	0.99	0.04	0.86	1.10
		7689	78	1.00	0.09	0.66	1.22
		3709	77	1.00	0.06	0.81	1.20
		3084	77	1.00	0.11	0.60	1.19
		6737	78	1.01	0.05	0.85	1.06
		120	117	1.01	0.10	0.87	1.72
		7564	76	1.01	0.06	0.88	1.14
		7010	77	1.01	0.06	0.85	1.18
		503	117	1.01	0.08	0.74	1.21
		3394	117	1.01	0.06	0.92	1.42
		2467	77	1.01	0.06	0.91	1.24
		242	117	1.01	0.08	0.89	1.35
		6088	77	1.02	0.07	0.88	1.21
		3702	117	1.03	0.09	0.63	1.29
		9114	117	1.03	0.08	0.84	1.22
		7422	117	1.03	0.11	0.69	1.49
		5204	117	1.03	0.07	0.86	1.17
		4818	77	1.03	0.06	0.89	1.21
		9112	77	1.03	0.06	0.90	1.12
		614	76	1.03	0.08	0.88	1.17

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR FLAT SORTING MACHINE (FSB) OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		3437	77	1.04	0.07	0.94	1.22
		6571	117	1.04	0.04	0.95	1.26
		5708	117	1.04	0.09	0.66	1.31
		6543	78	1.05	0.05	0.97	1.20
		1684	117	1.05	0.07	0.83	1.25
		3821	78	1.05	0.16	0.74	1.84
		634	77	1.05	0.12	0.67	1.38
		7603	77	1.05	0.07	0.91	1.38
		6282	77	1.05	0.10	0.84	1.31
		7800	117	1.06	0.09	0.87	1.56
		6676	78	1.06	0.06	0.89	1.20
		6594	117	1.07	0.07	0.93	1.28
		341	78	1.07	0.09	0.94	1.40
		2587	117	1.07	0.10	0.91	1.69
		8333	117	1.07	0.20	0.66	2.12
		779	117	1.07	0.11	0.93	1.99
		8938	117	1.07	0.09	0.70	1.74
		5837	117	1.08	0.05	0.97	1.28
		4453	117	1.08	0.25	0.55	2.04
		8909	117	1.08	0.07	0.94	1.32
		7450	117	1.08	0.10	0.13	1.26
		4270	117	1.08	0.10	0.91	1.54
		952	117	1.08	0.08	0.92	1.32
		7418	117	1.09	0.35	0.97	4.76
		9807	117	1.09	0.13	0.87	1.44
		5909	117	1.09	0.07	0.85	1.24
		916	117	1.09	0.07	0.80	1.25
		1374	117	1.09	0.11	0.41	1.28
		6104	117	1.09	0.06	0.96	1.37
		3753	117	1.09	0.10	0.76	1.27
		1747	78	1.10	0.16	0.84	1.64
		2823	117	1.10	0.08	0.95	1.44
		5182	117	1.10	0.06	0.94	1.29
		1485	117	1.11	0.19	0.49	2.94
		9056	77	1.11	0.06	0.96	1.27
		3725	117	1.11	0.08	0.76	1.46
		6306	77	1.11	0.04	1.04	1.21
		3359	78	1.12	0.07	0.99	1.45
		1872	117	1.12	0.21	0.76	1.76
		5865	117	1.12	0.07	0.87	1.30
		5590	117	1.12	0.07	0.92	1.36
		9779	117	1.13	0.11	0.97	2.03
		5087	117	1.13	0.06	0.81	1.29
		3908	117	1.13	0.08	0.94	1.36
		2371	117	1.13	0.07	0.97	1.34
		1423	78	1.13	0.09	0.95	1.50
		8289	117	1.13	0.12	0.52	1.61

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR FLAT SORTING MACHINE (FSB) OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		5697	117	1.13	0.09	0.74	1.34
		8964	117	1.14	0.14	0.78	1.47
		6549	117	1.14	0.06	0.96	1.27
		9443	78	1.14	0.53	0.73	5.13
		5757	78	1.14	0.18	0.73	1.67
		8342	117	1.14	0.13	0.96	2.27
		8195	117	1.14	0.06	0.71	1.34
		415	117	1.14	0.06	0.87	1.29
		4439	117	1.14	0.08	0.91	1.34
		6643	117	1.15	0.06	1.01	1.29
		2501	77	1.15	0.12	0.96	1.70
		8743	117	1.15	0.14	1.01	2.52
		2687	117	1.15	0.21	0.83	3.05
		686	117	1.15	0.10	0.92	1.82
		9961	77	1.15	0.07	1.00	1.28
		5997	117	1.16	0.16	0.84	1.81
		9303	117	1.16	0.05	0.98	1.40
		7069	77	1.16	0.08	0.91	1.34
		4945	117	1.16	0.10	0.94	1.40
		6838	117	1.17	0.11	1.00	1.45
		1364	78	1.17	0.09	0.85	1.42
		9210	117	1.17	0.07	0.96	1.37
		7655	117	1.17	0.10	0.89	1.49
		9240	117	1.17	0.22	0.91	2.05
		9322	77	1.18	0.08	0.96	1.42
		8965	77	1.19	0.11	0.97	1.99
		3411	117	1.19	0.08	0.73	1.38
		401	80	1.20	0.44	0.91	5.03
		5296	117	1.20	0.08	1.04	1.58
		5057	117	1.20	0.07	1.02	1.38
		877	117	1.21	0.12	0.96	2.13
		5096	117	1.21	0.08	1.08	1.80
		6078	78	1.21	0.18	0.76	1.67
		3364	117	1.21	0.09	0.76	1.49
		4542	117	1.21	0.13	0.97	2.34
		3033	78	1.21	0.87	0.79	8.71
		7073	117	1.22	0.10	0.97	1.72
		9524	117	1.22	0.36	0.87	3.98
		6266	117	1.23	0.07	0.92	1.38
		1803	117	1.23	0.11	1.07	2.21
		8239	117	1.24	0.11	0.64	1.44
		1749	117	1.24	0.07	1.01	1.48
		9486	117	1.24	0.08	0.77	1.66
		9589	117	1.25	0.12	0.86	1.48
		3304	117	1.25	0.16	0.78	1.95
		4756	117	1.25	0.08	1.10	1.52
		3358	117	1.26	0.11	0.99	1.69

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR FLAT SORTING MACHINE (FSB) OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		862	78	1.27	0.16	0.41	1.91
		8421	117	1.27	0.10	1.03	1.58
		6755	117	1.31	0.15	0.76	1.76
		1245	117	1.33	0.10	0.96	1.55
		5284	117	1.36	0.16	0.96	1.70
		2169	117	1.36	0.16	1.11	1.74
		2444	117	1.37	0.17	0.99	1.68

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL PARCELS (MANP) OPERATIONS**

Facility IDNUM	Number Of AP's	Mean	Std Dev	Minimum	Maximum
503	117	1.00	0.03	0.66	1.00
3921	78	1.00	0.01	0.91	1.00
1245	117	1.00	0.01	0.84	1.00
1684	117	1.00	0.00	0.99	1.00
2823	117	1.00	0.00	1.00	1.00
5279	77	1.00	-	1.00	1.00
6098	77	1.00	-	1.00	1.00
1423	78	1.00	-	1.00	1.00
7314	78	1.00	-	1.00	1.00
7689	78	1.00	-	1.00	1.00
8228	78	1.00	-	1.00	1.00
242	117	1.00	-	1.00	1.00
779	117	1.00	-	1.00	1.00
952	117	1.00	-	1.00	1.00
1749	117	1.00	-	1.00	1.00
1872	117	1.00	-	1.00	1.00
1913	117	1.00	-	1.00	1.00
2169	117	1.00	-	1.00	1.00
2371	117	1.00	-	1.00	1.00
3346	117	1.00	-	1.00	1.00
3411	117	1.00	-	1.00	1.00
3606	117	1.00	-	1.00	1.00
3702	117	1.00	-	1.00	1.00
3725	117	1.00	-	1.00	1.00
3753	117	1.00	-	1.00	1.00
3908	117	1.00	-	1.00	1.00
4439	117	1.00	-	1.00	1.00
4756	117	1.00	-	1.00	1.00
5057	117	1.00	-	1.00	1.00
5087	117	1.00	-	1.00	1.00
5096	117	1.00	-	1.00	1.00
5204	117	1.00	-	1.00	1.00
5284	117	1.00	-	1.00	1.00
5296	117	1.00	-	1.00	1.00
5708	117	1.00	-	1.00	1.00
5837	117	1.00	-	1.00	1.00
5921	117	1.00	-	1.00	1.00
5997	117	1.00	-	1.00	1.00
6104	117	1.00	-	1.00	1.00
6266	117	1.00	-	1.00	1.00
6571	117	1.00	-	1.00	1.00
6594	117	1.00	-	1.00	1.00
6643	117	1.00	-	1.00	1.00
6664	117	1.00	-	1.00	1.00
6744	117	1.00	-	1.00	1.00

**STATISTICS ON BEHAVIOR OF "TPH/FHP" BY FACILITY
FOR MANUAL PARCELS (MANP) OPERATIONS**

Facility	Number Of	IDNUM	AP's	Mean	Std Dev	Minimum	Maximum
		6745	117	1.00	-	1.00	1.00
		6755	117	1.00	-	1.00	1.00
		6838	117	1.00	-	1.00	1.00
		6989	117	1.00	-	1.00	1.00
		7271	117	1.00	-	1.00	1.00
		7444	117	1.00	-	1.00	1.00
		7450	117	1.00	-	1.00	1.00
		7606	117	1.00	-	1.00	1.00
		7655	117	1.00	-	1.00	1.00
		7791	117	1.00	-	1.00	1.00
		7800	117	1.00	-	1.00	1.00
		8265	117	1.00	-	1.00	1.00
		8342	117	1.00	-	1.00	1.00
		8535	117	1.00	-	1.00	1.00
		8938	117	1.00	-	1.00	1.00
		8964	117	1.00	-	1.00	1.00
		9110	117	1.00	-	1.00	1.00
		9210	117	1.00	-	1.00	1.00
		9240	117	1.00	-	1.00	1.00
		9303	117	1.00	-	1.00	1.00
		9524	117	1.00	-	1.00	1.00
		9589	117	1.00	-	1.00	1.00
		9779	117	1.00	-	1.00	1.00
		5697	117	1.00	0.00	1.00	1.01
		4970	117	1.00	0.00	1.00	1.03
		9486	117	1.00	0.00	1.00	1.03
		4270	117	1.00	0.01	1.00	1.06
		9807	117	1.00	0.00	1.00	1.03
		3364	117	1.00	0.02	0.98	1.21
		621	117	1.00	0.01	1.00	1.08
		5413	77	1.02	0.13	1.00	2.16
		6499	78	1.02	0.14	1.00	1.90
		8592	78	1.02	0.14	1.00	1.97
		9567	78	1.02	0.14	0.96	1.92
		4278	78	1.02	0.14	1.00	2.02
		5865	117	1.04	0.45	1.00	5.84